



DWN No.:	C-100545
----------	----------



# TOP-LINK

Item	Part name	Q'ty/Ea'	Material	Finish
1	HSG	1	High temp. Plastic UL94 V-0 Color Black	_____
2	Body	2	Leaded Brass	0,1 Au min over 1,4 Ni min
3	Plunger	2	Leaded Brass	0,1 Au min over 1,4 Ni min
4	Spring	2	Stainless steel wire	_____
5	CAP	1	High temp. Plastic UL94 V-0 Color Black	_____

Table 1 Mechanical performance

Table 1 Mechanical performance		
Max.working height	3.0mm	80±30gf <2.1>
Durability	10000cycle	

- 1 Dimensions shall be interpreted per ASME Y14.5M.
- 2 Mechanical performance(See the table 1)
- <2.1>The force is the average of forces obtained when plunger goes downwards and upwards.
- <2.2>Warning: Working height are not permitted to be less than Min working height.
- 3 Electrical performance
- Resistance: 30mOhm Max.
- Current rating: 2.0A
- 4 Packaging specification conforms to EIA 481
- 5 RoHS compliant.

Top-Link  
Electronics Ltd.

Type	Unit	Weight
Customer drawing	mm	

CHK:

CHK:	RE:	<b>Electronics</b> Electronics Ltd.
------	-----	-------------------------------------

SURF TEXTURE:  
REMOVE BURRS.  
BREAK SHARP ED  
R0.05 MAX.DO NO  
SCALE PRINT.

Scale 1 : 1	Size A4	DWG No. C-100545	Page 1 / 1	Rev. 1
----------------	------------	---------------------	---------------	-----------

4

3

2

1

DIST	DIST
---	---
DIST	DIST
---	---

	NEW	2011/03/16
Rev.	Revision record.	Date.